

EC 107 EcoX

Scotsman
Ice Systems

Self Contained Ice Machine up to 53 kg

Item #:

Project:

Quantity:



FEATURES

- Produces individual Gourmet crystal clear ice cubes.
- Resistant stainless steel exterior. Simple and reliable electromechanic controls.
- Front panel in and out airflow (air-cooled model only) for built-in installation.
- Routine maintenance visible alarm light on front panel.
- Ergonomically designed ice-storage access, with disappearing door. Door-closing movement dampening system.
- Water system protected by patented anti-scale system.
- PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.



EC M 107
Medium Gourmet 20 g
Ø 30 x H 34 mm

CONDENSING SYSTEM

Air cooled

INTERNAL BIN CAPACITY

23 kg

REFRIGERANT GAS

R290

OPERATING REQUIREMENTS

| | Minimum | Maximum |
|--------------------|----------------|----------------|
| Air temperature | 10°C | 43°C |
| Water temperature | 5°C | 38°C |
| Water pressure | 1 bar (14 psi) | 5 bar (70 psi) |
| Electrical voltage | -10% | +10% |

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store

DOWNLOAD

www.scotsman-ice.it
www.scotsman-ice.com

Self Contained Ice Machine up to 53 kg

1 October 2018


EC 107 EcoX

Self Contained Ice Machine up to 53 kg





Item #:

Project:

Quantity:



AIR FLOW
↑



UNIT OF MEASUREMENT: mm

1. 25/32" OD - OVERFLOW DRAIN
2. 3/4" GAS - WATER INLET
3. 3/4" GAS - WATER OUTLET
WATER COOLED UNIT ONLY
4. 3/4" GAS - WATER INLET
WATER COOLED UNIT ONLY
5. CORD SET

UNIT DATA

Size (W x D x H) 531 x 600 x 930 mm
Net weight 47 kg

SHIPPING DATA

Carton (W x D x H) 600 x 670 x 950 mm
Weight 54 kg

| | | Compressor | | Circuit wires | | Max. fuse size |
|-------------|----------|------------|------|---------------|------|----------------|
| Version | Voltage | Btu/h | W | No. | Ømm² | A |
| EC M 107 AS | 230/50/1 | 4146 | 1215 | 3 | 1.5 | 10 |

| | | | 24 h ice production kg °C Amb. / °C Water | | | Energy consumption* | | Water usage* | Instant power |
|-------------|--------------|----------|----------------------------------------------|-----------|-----------|------------------------|---------|-----------------|------------------|
| Version | Condensation | Voltage | 10°C/10°C | 21°C/10°C | 32°C/21°C | kWh/100 kg | kWh/24h | l/h | W |
| EC M 107 AS | Air | 230/50/1 | 53 | 51 | 43 | 24.9 | 10.7 | 5.2 | 580 |

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions