

Scotsman

Modular Ice Machine up to 195 kg

Item #:
Project:
Quantity:



FEATURES

- Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference.
- Agion: the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- Electronic control: ambient and water temperatures may change throughout the years but your ice will stay the same.
- External indicator lights: keeps ice maker's operations under constant surveillance.
- Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live
- Clean alert: advises with a blink when it's time to clean the filter.



MXG I 428 Large Gourmet 39 g Ø 38 x H 41 mm



MXG M 428 Medium Gourmet 20 g Ø 30 x H 34 mm



MXG S 428 Small Gourmet 8 g Ø 21 x H 25 mm

CONDENSING **SYSTEM**

Air cooled Water cooled

REFRIGERANT GAS

R404A

	Head	Bins	kg			
	MXG 428	~	SB193	129		
		~	SB322	168		
		BINTOPMKGSB55	SB550	252		
		•	UBH1100	553		
		•	UBH1600	812		
		•	SIS700	318 + 73		
		•	SIS1350	613 + 73 + 73		

RECOMMENDED BINS

VOLTAGE V/Hz/ph

230/50/1 230/60/1 LEGEND:

✓ : Perfect combination between ice maker and bin : Ice chute cut-out performed upon installation CBTxxxxxxxxxx : need additional bin top

fications:







OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

TANT NOTICE:

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals. Download our free App Scotsman Ice Apple store Google play Windows store

www.scotsman-ice.it www.scotsman-ice.com


MXG 428 EXTREME





Modular Ice Machine up to 195 kg

Item #: Project: Quantity:



UNIT DATA

Size (W x D x H) 568 x 704 x 721 mm

Net weight

66 kg

SHIPPING DATA

Carton (W x D x H) 630 x 770 x 910 mm

Weight 77 kg

		Comp	ressor	Circuit	Max. fuse size	
Version	Voltage	Btu/h	w	No.	Ømm²	Α
MXG L 428 AS	230/50/1	17163	5030	3	1.5	16
MXG M 428 AS	230/50/1	17163	5030	3	1.5	16
MXG M 428 AS	230/60/1	20207	5922	3	1.5	16
MXG S 428 AS	230/50/1	17163	5030	3	1.5	16
MXG L 428 WS	230/50/1	17163	5030	3	1.5	16
MXG M 428 WS	230/50/1	17163	5030	3	1.5	16
MXG S 428 WS	230/50/1	17163	5030	3	1.5	16

		24 h ice production kg °C Amb. / °C Water		Energy consumption*		Water usage*	Instant power		
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
MXG L 428 AS	Air	230/50/1	167	167	130	26.5	34.5	13.8	1750
MXG M 428 AS	Air	230/50/1	190	180	128	28.7	36.7	15.4	1850
MXG M 428 AS	Air	230/60/1	180	169	128	32.0	41.0	16.3	2000
MXG S 428 AS	Air	230/50/1	195	182	135	28.9	39.0	20.8	2000
MXG L 428 WS	Water	230/50/1	172	170	147	20.4	30.0	106.3	1400
MXG M 428 WS	Water	230/50/1	195	190	165	19.5	32.2	150.0	1400
MXG S 428 WS	Water	230/50/1	195	192	170	20.0	34.0	185.4	1400

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions