

DXN 100

Ice Machine/Dispenser up to 66 kg

Item #:
Project:
Quantity:



FEATURES

- Compact ice or ice & water automatic dispenser, with appealing, contemporary "touch-screen" design.
- Ideal for free-refill self-service concepts with up to 1200 glasses filled per day and capable of dispensing ice for up to 100 customers in queue at one time.
- Available either touch-free or button activated.
- Possible to set ice only or ice & water on site and desired ice dosage (from 1' to 15' or continuous).
- Fast & friendly cleaning mode for the end user.
- Algorithm signaling when reservoir is temporarily empty.
- Full frontal visibility of settings and errors for preventative service check-up.
- Accessory: on request, it can be installed upon a specifically designed cabinet.



DXN 100
Cubelet 1 g
W 16 x D 15 x H 7-8 mm

CONDENSING SYSTEM

Air cooled

INTERNAL BIN CAPACITY

5 kg

REFRIGERANT GAS

R452A

OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	38°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

VOLTAGE V/Hz/ph

230/50/1

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store



www.scotsman-ice.it
www.scotsman-ice.com


Ice Machine/Dispenser up to 66 kg

DXN 100

Ice Machine/Dispenser up to 66 kg

Item #:
Project:
Quantity:

Ice Machine/Dispenser up to 66 kg



UNIT DATA		Compressor		Circuit wires		Max. fuse size			
		Version	Voltage	Btu/h	W	No.	Ømm ²	A	
Size (W x D x H)	427 x 552 x 622 mm	DXN 100 AS	230/50/1	1955	573	3	1.5	10	
Net weight	49 kg								
SHIPPING DATA									
Carton (W x D x H)	490 x 610 x 790 mm								
Weight	56 kg								
		24 h ice production kg °C Amb. / °C Water			Energy consumption*		Water usage*	Instant power	
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
DXN 100 AS	Air	230/50/1	66	61	45	21.0	9.5	1.9	410

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions