

DXN 200

Ice Machine/Dispenser up to 110 kg

Item #:
Project:
Quantity:



FEATURES

- Compact ice or ice & water automatic dispenser, with appealing, contemporary “touch-screen” design.
- Ideal for free-refill self-service concepts with up to 2400 glasses filled per day and capable of dispensing ice for up to 200 customers in queue at one time.
- Available either touch-free or button activated.
- Possible to set ice only or ice & water on site and desired ice dosage (from 1’ to 15’ or continuous).
- Fast & friendly cleaning mode for the end user.
- Algorithm signaling when reservoir is temporarily empty.
- Full frontal visibility of settings and errors for preventative service check-up.
- Accessory: on request, it can be installed upon a specifically designed cabinet.



DXN 200
Cubelet 1 g
W 16 x D 15 x H 7-8 mm

CONDENSING SYSTEM

Air cooled

INTERNAL BIN CAPACITY

10 kg

REFRIGERANT GAS

R452A

OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	38°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

VOLTAGE V/Hz/ph

230/50/1

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store



www.scotsman-ice.it
www.scotsman-ice.com


Ice Machine/Dispenser up to 110 kg

DXN 200

Ice Machine/Dispenser up to 110 kg

Item #:
Project:
Quantity:

Ice Machine/Dispenser up to 110 kg



UNIT DATA			Compressor		Circuit wires		Max. fuse size		
			Version	Voltage	Btu/h	W	No.	Ømm ²	A
Size (W x D x H)	427 x 552 x 772 mm								
Net weight	53 kg								
SHIPPING DATA			24 h ice production kg		Energy consumption*		Water usage*	Instant power	
			°C Amb. / °C Water		kWh/100 kg		kWh/24h	l/h	W
Carton (W x D x H)	490 x 610 x 940 mm		10°C/10°C	21°C/10°C	32°C/21°C				
Weight	61 kg								
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
DXN 200 AS	Air	230/50/1	110	92	65	23.1	15.0	2.7	670

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions